

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journals](#)[Books](#)Search **PubMed** for **ward cm** [Go](#) [Clear](#) [Save Search](#)[Limits](#) [Preview/Index](#) [History](#) [Clipboard](#) [Details](#)Limits: **Entrez Date from 2004 to 2004**Display **Summary** Show **20** Sort by Send to

All: 4 Review: 1

Items 1 - 4 of 4

One page.

[About Entrez](#)[Text Version](#)[Entrez PubMed](#)[Overview](#)[Help | FAQ](#)[Tutorials](#)[New/Noteworthy](#) [E-Utilities](#)[PubMed Services](#)[Journals Database](#)[MeSH Database](#)[Single Citation](#)[Matcher](#)[Batch Citation](#)[Matcher](#)[Clinical Queries](#)[Special Queries](#)[LinkOut](#)[My NCBI](#)[Related Resources](#)[Order Documents](#)[NLM Mobile](#)[NLM Catalog](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)

- ☐ 1: [Liu J, Lillo C, Jonsson PA, Vande Velde C, Ward CM, Miller TM, Subramaniam JR, Rothstein JD, Marklund S, Andersen PM, Brannstrom T, Gredal O, Wong PC, Williams DS, Cleveland DW.](#)

[Related Articles, Links](#)

Toxicity of familial ALS-linked SOD1 mutants from selective recruitment to spinal mitochondria.

Neuron. 2004 Jul 8;43(1):5-17.

PMID: 15233913 [PubMed - indexed for MEDLINE]

- ☐ 2: [Chen VM, Thrift KM, Morel-Kopp MC, Jackson D, Ward CM, Flower RL.](#)

[Related Articles, Links](#)

An immediate hemolytic reaction induced by repeated administration of oxaliplatin.

Transfusion. 2004 Jun;44(6):838-43.

PMID: 15157248 [PubMed - indexed for MEDLINE]

- ☐ 3: [Wong S, Appleberg M, Ward CM, Lewis DR.](#)

[Related Articles, Links](#)

Aspirin resistance in cardiovascular disease: a review.

Eur J Vasc Endovasc Surg. 2004 May;27(5):456-65. Review.

PMID: 15079767 [PubMed - indexed for MEDLINE]

- ☐ 4: [Ward CM, Barrow KM, Stern PL.](#)

[Related Articles, Links](#)

Significant variations in differentiation properties between independent mouse ES cell lines cultured under defined conditions.

Exp Cell Res. 2004 Feb 15;293(2):229-38.

PMID: 14729460 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)



A service of the National Library of Medicine
and the National Institutes of Health

www.pubmed.gov

My NCBI [2]
[Sign In] [Register]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search PubMed for "stem cell marker" (problems OR pitfalls OR obsta Go Clear Save Search

Limits Preview/Index History Clipboard Details

Display AbstractPlus Show 20 Sort by Send to

All: 1 Review: 0

1: Exp Neurol. 2002 Dec;178(2):288-93.

ELSEVIER Links
Full Text Article

Generation of neural progenitor cells from whole adult bone marrow.

Kabos P, Ehtesham M, Kabosova A, Black KL, Yu JS.

Maxine Dunitz Neurosurgical Institute, Cedars-Sinai Medical Center, Los Angeles, California 90048, USA.

The efficient and large-scale generation of neural progenitor cells for neural grafting in the treatment of neurological diseases has been a challenge. Here we describe the isolation and successful propagation of neural progenitor cells from adult rat bone marrow. Unfractionated bone marrow cultured in vitro with epidermal growth factor and basic fibroblast growth factor gave rise to cellular spheres which differentiated into neurons and glia. The cellular spheres expressed nestin, a neural stem cell marker as well as CD90, a marker of hematopoietic stem cells. This methodology addresses the ethical and tissue rejection problems associated with fetal neural stem cells and would circumvent the difficulty associated with generating neural progenitors from the adult brain. We demonstrate that bone marrow may offer a renewable autologous extracranial source of neural progenitor cells.

PMID: 12504887 [PubMed - indexed for MEDLINE]

Display AbstractPlus Show 20 Sort by Send to

Related Links

Neuronal differentiation of murine bone marrow Thy-1- and Nestin-positive cells. [J Neurosci Res. 2003]

Olfactory bulb core is a rich source of neural progenitor and stem cells in adult rodent and human. [J Comp Neurol. 2003]

Choroid plexus ependymal cells host neural progenitor cells in the rat. [Glia. 2006]

Embryonic neural progenitor cells: the effects of species, region, and culture conditions on long-term proliferation and neuronal differentiation. [J Hematother Stem Cell Res. 2003]

Preparation of neural progenitors from bone marrow and umbilical cord blood. [Mol Biol. 2002]

See all Related Articles...

[Write to the Help Desk](#)


[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)



A service of the National Library of Medicine
and the National Institutes of Health


My NCBI 
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journals](#)[Books](#)

Search for

[Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)

See [Details](#). No items found.

[About Entrez](#)[Text Version](#)[Entrez PubMed](#)[Overview](#)[Help | FAQ](#)[Tutorials](#)[New/Noteworthy](#) [E-Utilities](#)[PubMed Services](#)[Journals Database](#)[MeSH Database](#)[Single Citation](#)[Matcher](#)[Batch Citation](#)[Matcher](#)[Clinical Queries](#)[Special Queries](#)[LinkOut](#)[My NCBI](#)[Related Resources](#)[Order Documents](#)[NLM Mobile](#)[NLM Catalog](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)



A service of the National Library of Medicine
and the National Institutes of Health

www.pubmed.gov

My NCBI
[Sign In] [Register]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search PubMed



for "stem cell marker"

Go

Clear

Save Search

Limits

Preview/Index

History

Clipboard

Details

Display

Summary



Show 20



Sort by



Send to



All: 295

Review: 10



Items 1 - 20 of 295

Page 1

of 15 Next

- ☐ 1: Beaudry P, Hida Y, Udagawa T, Alwayn IP, Greene AK, Arsenault D, Folkman J, Heymach JV, Ryeom S, Puder M.

Related Articles,
Links

Endothelial progenitor cells contribute to accelerated liver regeneration.
J Pediatr Surg. 2007 Jul;42(7):1190-8.
PMID: 17618879 [PubMed - in process]

- ☐ 2: Lim SD, Stallcup W, Lefkove B, Govindarajan B, Au KS, Northrup H, Lang D, Fisher DE, Patel A, Amin MB, Arbiser JL.

Related Articles,
Links

Expression of the neural stem cell markers NG2 and L1 in human angiomyolipoma: are angiomyolipomas neoplasms of stem cells?
Mol Med. 2007 Mar-Apr;13(3-4):160-5.
PMID: 17592550 [PubMed - in process]

- ☐ 3: Zhao Y, Huang Z, Lazzarini P, Wang Y, Di A, Chen M.

Related Articles, Links

A unique human blood-derived cell population displays high potential for producing insulin.
Biochem Biophys Res Commun. 2007 Aug 17;360(1):205-11. Epub 2007 Jun 15.
PMID: 17588534 [PubMed - in process]

- ☐ 4: Hoshi N, Kusakabe T, Taylor BJ, Kimura S.

Related Articles, Links

Side population cells in the mouse thyroid exhibit stem/progenitor cell-like characteristics.
Endocrinology. 2007 Jun 21; [Epub ahead of print]
PMID: 17584961 [PubMed - as supplied by publisher]

- ☐ 5: Tsujimura A, Fujita K, Komori K, Takao T, Miyagawa Y, Takada S, Matsumiya K, Nonomur N, Okuyama A.

Related Articles,
Links

Prostatic stem cell marker identified by cDNA microarray in mouse.
J Urol. 2007 Aug;178(2):686-91. Epub 2007 Jun 15.
PMID: 17574614 [PubMed - in process]

- ☐ 6: Zhou Z, Flesken-Nikitin A, Nikitin AY.

Related Articles, Links

Prostate cancer associated with p53 and Rb deficiency arises from the stem/progenitor cell-enriched proximal region of prostatic ducts.
Cancer Res. 2007 Jun 15;67(12):5683-90. Epub 2007 Jun 6.
PMID: 17553900 [PubMed - in process]

- ☐ 7: Murata H, Tsuji S, Tsujii M, Nakamura T, Fu HY, Eguchi H, Asahi K, Okano H, Kawano S, Hayashi N.

Related Articles,
Links

Helicobacter Pylori Infection Induces Candidate Stem Cell Marker Musashi-1 in the Human Gastric Epithelium.
Dig Dis Sci. 2007 Jun 5; [Epub ahead of print]
PMID: 17549630 [PubMed - as supplied by publisher]

- ☐ 8: Yeo S, Jeong S, Kim J, Han JS, Han YM, Kang YK.

Related Articles, Links

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation

Matcher

Batch Citation

Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway











TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

-  Characterization of DNA methylation change in stem cell marker genes during differentiation of human embryonic stem cells.
Biochem Biophys Res Commun. 2007 Aug 3;359(3):536-42. Epub 2007 May 25.
PMID: 17548060 [PubMed - in process]
-  9: [Zhang HZ, Wei YP, Wang M, Wu C, Yang YQ, Chen J, Cao YK.](#) [Related Articles, Links](#)
[Association of CD133 and endothelin-converting enzyme expressions with prognosis of non-small cell lung carcinoma.]
Nan Fang Yi Ke Da Xue Xue Bao. 2007 May;27(5):696-9. Chinese.
PMID: 17545092 [PubMed - in process]
-  10: [Brachvogel B, Pausch F, Farlie P, Gaipf U, Etich J, Zhou Z, Cameron T, von der Mark K, Bateman JF, Poschl E.](#) [Related Articles, Links](#)
Isolated Anxa5(+)/Sca-1(+) perivascular cells from mouse meningeal vasculature retain their perivascular phenotype in vitro and in vivo.
Exp Cell Res. 2007 Jul 15;313(12):2730-43. Epub 2007 May 8.
PMID: 17543301 [PubMed - in process]
-  11: [Zhao X, Huang L, Yin Y, Fang Y, Zhou Y.](#) [Related Articles, Links](#)
Autologous endothelial progenitor cells transplantation promoting endothelial recovery in mice.
Transpl Int. 2007 Aug;20(8):712-21. Epub 2007 Jun 3.
PMID: 17543025 [PubMed - in process]
-  12: [Zhang W, Walboomers XF, Shi S, Fan M, Jansen JA.](#) [Related Articles, Links](#)
Multilineage differentiation potential of stem cells derived from human dental pulp after cryopreservation.
Tissue Eng. 2006 Oct;12(10):2813-23.
PMID: 17518650 [PubMed - indexed for MEDLINE]
-  13: [Kim SY, Lee S, Min BH, Park IS.](#) [Related Articles, Links](#)
Functional association of the morphogenic factors with the clusterin for the pancreatic beta-cell differentiation.
Diabetes Res Clin Pract. 2007 May 16; [Epub ahead of print]
PMID: 17512083 [PubMed - as supplied by publisher]
-  14: [Magnus T, Coksaygan T, Korn T, Xue H, Arumugam TV, Mughal MR, Eckley DM, Tang SC, Detolla L, Rao MS, Cassiani-Ingoni R, Mattson MP.](#) [Related Articles, Links](#)
Evidence that nucleocytoplasmic Olig2 translocation mediates brain-injury-induced differentiation of glial precursors to astrocytes.
J Neurosci Res. 2007 Aug 1;85(10):2126-37.
PMID: 17510983 [PubMed - in process]
-  15: [Miki T, Mitamura K, Ross MA, Stolz DB, Strom SC.](#) [Related Articles, Links](#)
Identification of stem cell marker-positive cells by immunofluorescence in term human amnion.
J Reprod Immunol. 2007 May 8; [Epub ahead of print]
PMID: 17493686 [PubMed - as supplied by publisher]
-  16: [Katoh Y, Katoh M.](#) [Related Articles, Links](#)
Comparative genomics on PROM1 gene encoding stem cell marker CD133.
Int J Mol Med. 2007 Jun;19(6):967-70.
PMID: 17487431 [PubMed - in process]
-  17: [Ji Y, Hayashi K, Amoh Y, Tsuji K, Yamauchi K, Yamamoto N, Tsuchiya H, Tomita K, Bouvet M, Hoffman RM.](#) [Related Articles, Links](#)
The camptothecin derivative CPT-11 inhibits angiogenesis in a dual-color imageable orthotopic metastatic nude mouse model of human colon cancer.

Anticancer Res. 2007 Mar-Apr;27(2):713-8.
PMID: 17465193 [PubMed - indexed for MEDLINE]

☐ **18:** [Lu X](#), [Baudouin SV](#), [Gillespie JI](#), [Anderson JJ](#), [Dickinson AM](#).

[Related Articles, Links](#)



A comparison of CFU-GM, BFU-E and endothelial progenitor cells using ex vivo expansion of selected cord blood CD133(+) and CD34(+) cells.
Cytotherapy. 2007;9(3):292-300.
PMID: 17464761 [PubMed - in process]

☐ **19:** [Brenner S](#), [Ryser MF](#), [Whiting-Theobald NL](#), [Gentsch M](#), [Linton GF](#), [Malech HL](#).

[Related Articles, Links](#)



The late dividing population of gamma-retroviral vector transduced human mobilized peripheral blood progenitor cells contributes most to gene-marked cell engraftment in nonobese diabetic/severe combined immunodeficient mice.
Stem Cells. 2007 Jul;25(7):1807-13. Epub 2007 Apr 26.
PMID: 17464090 [PubMed - in process]

☐ **20:** [Hernandez PP](#), [Olivari FA](#), [Sarrazin AF](#), [Sandoval PC](#), [Allende ML](#).

[Related Articles, Links](#)



Regeneration in zebrafish lateral line neuromasts: expression of the neural progenitor cell marker sox2 and proliferation-dependent and-independent mechanisms of hair cell renewal.
Dev Neurobiol. 2007 Apr;67(5):637-54.
PMID: 17443814 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 295

Page of 15 Next

Display Show Sort by Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)